VABYSMO® (faricimab-syoa) COVERAGE AT-A-GLANCE



Select Payer Policies

(as of March 2025)

Medicare Fee-for-Service (FFS)	No PA required; no step through bevacizumab [†]	
Veterans Affairs (VA)	No PA required; no step through bevacizumab†	
	Commercial Policy	Medicare Advantage Policy
UnitedHealthcare	UnitedHealthcare Policy Covered first line. PA required; no step through bevacizumab†	UnitedHealthcare Policy nAMD: Covered with PA after double step through 1. bevacizumab [†] 2. EYLEA® (aflibercept) injection 2 mg or EYLEA HD® (aflibercept) injection 8 mg or PAVBLU™ (aflibercept-ayyh) DME and RVO: Covered with PA after single step through EYLEA or EYLEA HD or PAVBLU
Humana	Humana Policy Covered with PA after single step through bevacizumab†	Humana Policy Covered with PA after single step through bevacizumab†
Aetna	Aetna Policy Covered with PA after double step through 1. bevacizumab [†] 2. CIMERLI® (ranibizumab-eqrn) or BYOOVIZ™ (ranibizumab-nuna)	Aetna Policy Covered with PA after double step through 1. bevacizumab† 2. BYOOVIZ, EYLEA or EYLEA HD

Please see additional Important Safety Information in the full VABYSMO Prescribing Information.

Anthem (Elevance)	Anthem (Elevance) Policy Covered first line. PA required; no step through bevacizumab†	Anthem (Elevance) Policy Covered first line. PA required; no step through bevacizumab†
Cigna	Cigna Policy Covered with PA after single step through bevacizumab†	Cigna Policy Covered with PA after single step through bevacizumab [†]
Centene	Centene Policy Covered with PA after single step through bevacizumab†	Centene Policy Covered with PA after single step through bevacizumab†
Blue Cross Blue Shield (BCBS) Federal Employee Program (FEP)	BCBS Policy Covered first line. PA required; no step through bevacizumab [†]	N/A

DME=diabetic macular edema; nAMD=neovascular (wet) age-related macular degeneration; PA=prior authorization; RVO=retinal vein occlusion.

Each health plan has a unique list of PA criteria that may change at any time without notice. It is the responsibility of the provider to comply with all payer-specific PA requirements.

Because drug coverage policies can change, please check with the health plan directly to confirm coverage for individual patients. These data are for informational purposes only. Checking individual patients' coverage is the responsibility of the patient and your office. Genentech makes no representation or guarantee concerning reimbursement, coverage or co-pay for any service or item. Individual plans may impose additional utilization management requirements for coverage within the bounds of Medicare Advantage guidelines.

Please see additional Important Safety Information in the full VABYSMO Prescribing Information.

For the latest coverage information, talk to your Field Reimbursement Manager (FRM).

^{*}Coverage as of 3/1/2025. Based on VABYSMO 2024 sales data and MMIT coverage information.

[†]In certain circumstances, payers mandate step therapy with off-label bevacizumab (not indicated for intraocular use).

Indications

VABYSMO (faricimab-svoa) is a vascular endothelial growth factor (VEGF) inhibitor and angiopoietin-2 (Ang-2) inhibitor indicated for the treatment of patients with Neovascular (Wet) Age-Related Macular Degeneration (nAMD), Diabetic Macular Edema (DME), and Macular Edema following Retinal Vein Occlusion (RVO).

Important Safety Information

Contraindications

VABYSMO is contraindicated in patients with ocular or periocular infection, in patients with active intraocular inflammation, and in patients with known hypersensitivity to faricimab or any of the excipients in VABYSMO.

Warnings and Precautions

- Endophthalmitis and retinal detachments may occur following intravitreal injections. Patients should be instructed to report any symptoms suggestive of endophthalmitis or retinal detachment without delay, to permit prompt and appropriate management.
- Increases in intraocular pressure have been seen within 60 minutes of an intravitreal injection.
- There is a potential risk of arterial thromboembolic events (ATEs) associated with VEGF inhibition.
- Retinal vasculitis and/or retinal vascular occlusion have been reported. Patients should be instructed to report any change in vision without delay.

Adverse Reactions

The most common adverse reactions (≥5%) reported in patients receiving VABYSMO were cataract (15%) and conjunctival hemorrhage (8%).

You may report side effects to the FDA at (800) FDA-1088 or www.fda.gov/medwatch. You may also report side effects to Genentech at (888) 835-2555.

Please see additional Important Safety Information in the full VABYSMO **Prescribing Information**.

VABYSMO is a registered trademark and the VABYSMO logo is a trademark of Genentech, Inc. All trademarks are the property of their respective owners.





©2024 Genentech USA, Inc. So. San Francisco, CA All rights reserved. M-US-00023638(v1.0) 06/24